



**AUTOMATIC TYPE-RUBBER ROLL RICEHULLER
WITH CLOSE-CIRCUIT WINNOWER
ACB-100C**



Description:

MODEL: ACB-100C

AUTOMATIC TYPE-RUBBER ROLL RICE HULLER


WITH CLOSE-CIRCUIT WINNOWER

The "**KENDING**", based on the excellent engineering and rice milling knowledge obtained over four decades of specialized manufacture of Rubber Roll Rice Hullers, presents to numerous customers the following latest model of 10" Type Rubber Roll Rice Hullers".

■ Model ACB-100C "AUTOMATIC" is equipped with FULLY AUTOMATIC RUBBER ROLL CONTROL SYSTEM operated by Pneumatic Cylinder and also with Close-Circuit Winnower.

■ Model ACB-100 "AUTOMATIC" is hulling head only without Close-Circuit Winnower.

AUTOMATIC RICE HULLER



MODEL - ACB-100

SPECIAL FEATURES :

- Extremely high in hulling ratio, this model is also equipped with rollers that can be easily replaced.
- Furnished particularly with pneumatic automatic control mechanism.
- With its extremely shaft drive system, this model minimizes energy loss in driving process. In conjunction with its solid main body, it operates quietly and generates practically little noise.
- Installed with the superb aspirator with its high performances and efficiency, this model can separate effectively the brown rice from the hulls. A large inspection window is made available for better machine operations under close supervision.

SPECIFICATIONS :

MODEL	CAPACITY PER HOUR IN PADDY	POWER REQUIRED MOTOR	REVOLUTIONS R.P.M.
ACB-100	3500~4000 KGS	10 HP	920
ACB-100C	3500~4000 KGS	5 HP / 10 HP	2150 / 920

MODEL	MACHINE DIMENSIONS			EXPORT SHIPMENT		
	LENGTH	WIDTH	HEIGHT	VOL.	N.W.	G.W.
ACB-100	85 CM	90 CM	64 CM	32 CFT	280	365
ACB-100C	175 CM	172 CM	240 CM	280 CFT	1050	1450



A division of Ken-Ding Group

Weizhou International Co., Ltd

P. O. Box 1394 Kaohsiung City, Taiwan ROC

Tel : 886-7-7169249 Fax : 886-7-7169250

e-Mail : general@weitronic.com.tw

e-Mail : shiu@ksts.seed.net.tw