



RICE HULLER WITH HUSK SEPARATOR N-150




Description:

MODEL: N-250

RUBBER ROLL SHELLER WITH HUSK SEPARATOR THE LATEST IN SHELLING AND HUSK SEPARATION IN THE MARKET TODAY

SPECIAL FEATURES :

1. Equipped with micrometric adjustment to obtain the desired degree of shelling.
2. The husk separator is equipped with extra powerful blower to separate brown rice from husk and blow the husk outside the area where the machine is installed.
3. The Gear Box is totally sealed against oil leakage.
4. Two different models for two different capacities are available. All models could be either motor drive or transmission drive.
5. The 10" sheller has almost three times the capacity of the 6" sheller, while the 10" roll outlast (5) five times the life of the 6" roll.



SPECIFICATIONS :

Model	Capacity	Reg'd Power Motor	Revolutions
	kg/hour	hp	rpm
N-250	2500~3000	10	1150
N-150	1200~2000	5	1150

Model	Rubber Rolls Size		Overall Dimensions			Weight	
	Width	Outer Dia.	Height	Width	Length	N.W.	G.W.
	mm	mm	cm	cm	cm	kg	kg
N-250	254	254	151	100	130	462	662
N-150	152.4	222	127	82	123	300	380



A division of Ken-Ding Group

Weizhou International Co., Ltd

P. O. Box 1394 Kaohsiung City, Taiwan ROC

Tel : 886-7-7169249 Fax : 886-7-7169250

e-Mail : general@weitronic.com.tw

e-Mail : shiu@ksts.seed.net.tw