




STEEL CYLINDER RICE POLISHER YS-120 / YS-300



Description:

MODEL: YS-300.120.70


STEEL CYLINDER

RICE POLISHER

SPECIAL FEATURES OF KENDING STEEL CYLINDER RICE POLISHER

1. 20 HP Type Steel Cylinder Rice Polisher Model YS-300 offers 50% higher milling capacity than any conventional 15 HP Type Rice Polishers.
2. This equipped with HEXAGONAL Type Polishing Chamber and recommended for Multi-Pass (two or more units in series) Milling Purpose.
3. With its specially designed Super Strong Blower, constant air injection into the polishing chamber during the whole polishing process guarantee the total elimination of bran and maintains the rice down at low temperature avoiding possible breakage.
4. Durability of consumptive parts is greatly high. The perforated metal polishing screen is given a special heat treatment. The steel cylinder and screw conveyor are made of extrahard steel.
5. Its enormous capacity in small construction saves space and makes possible the additional installation of this polisher to any existing rice mills.

STEEL CYLINDER RICE POLISHER has been designed and completed by well experienced engineers and workmen in order to meet any variety of rice in the world. KENDING Steel Cylinder Rice Polisher is so specially designed that brown rice is polished by its mutual friction among grains in polishing chamber to perform the even polishing effect. One of the most remarkable advantages KENDING Steel Cylinder Rice Polisher is its compactness in size occupying small space for installation and yet it gives high polishing efficiency as well as large capacity. Furthermore, the operation of the machine is not complicated at all. It is very important that this KENDING Steel Cylinder Rice Polisher should be so operated as not to give excessive pressure on the rice during polishing process in order to decrease rice breakage to a minimum and increase milling yield to a maximum.



Model	Capacity/hr, in brown rice	Power required	Revolution	Main V-pulley
	kg/hr	HP	rpm	dia.xwidth
YS-300	2 PASS 2700-3000 3 PASS 4000-4500	20	700-750	14" Ø XB-4
YS-120	2 PASS 2200-2400	15	700-750	14" Ø XB-4
YS-70	2 PASS 1200-1400	10	700-750	14" Ø XB-3

Model	Overall Dimensions			Export packing	
	Height	Width	Length	N.W.	Volume
	mm	mm	mm	kg	cft
YS-300	950	500	1350	290	34
YS-120	950	500	1350	280	33
YS-70	760	480	1060	185	28



A division of Ken-Ding Group

Weizhou International Co., Ltd

P. O. Box 1394 Kaohsiung City, Taiwan ROC

Tel : 886-7-7169249

Fax : 886-7-7169250

e-Mail : general@weitronic.com.tw

e-Mail : shiu@ksts.seed.net.tw