




CEREAL WHITENING MACHINE

YRM-15 / YRM-30



MODEL: YRM-15, YRM-30

ABRASIVE-TYPE SPECIAL: INNER FRAME ROLLING

1. LESS BROKEN CEREAL & UNIFORM WHITENING

YRM-15, YRM-30, which assembled abrasive roller and steel wire roller in the center of milling chamber. Both of them rub with rotary inner frame each other. But abrasive roller and steel wire roller rotary with high speed, inner frame and rubber plates rotary with low speed. Rubber plates locked on the inner frame in order to stop the brown cereal flow and to get a uniform whitening and luster. If the rubber plates worn out, you can adjust it from 1mm to 60mm.

2. UNIQUE JET AIR SYSTEM

Jet air is blown from the fan to the milling chamber, functioning not only to prevent the temperature of the cereal grains from rising but also to remove bran sticking to the whitened cereal.


3. EASY OPERATION

This machine is a masterpiece. It is very different from other countries made. Operation is very easy, requiring no previous training.

4. SUPERIOR ABRASIVE ROLLER

Unlike conventional methods of production, the abrasive rollers are manufactured with strict forming and heat treatment, giving them extra-high durability and sharpness. Dull edge conventional rollers means excess pressure on the cereal grains during whitening potential of the abrasive- type process.

MODEL	REQUIRED POWER	INPUT CAPACITY	N.W.	G.W.	OVERALL DIMENSION L x W x H
YRM-15	20HP	1000KGS	810KGS	970KGS	1600 x 1035 x 1137 mm
YRM-30	40-50HP	2000-2500KGS / HR	1040KGS	1226KGS	2280 x 1035 x 1137 mm




Barley , Wheat

Green beans

Red beans

White beans

Original
product



Whitening
product



Soya beans

Sorghum

Brown rice

Millet

Original
product



Whitening
product



A division of Ken-Ding Group

Weizhou International Co., Ltd

P. O. Box 1394 Kaohsiung City, Taiwan ROC

Tel : 886-7-7169249

Fax : 886-7-7169250

e-Mail : general@weitronic.com.tw

e-Mail : shiu@ksts.seed.net.tw