




RICE WHITENING MACHINE YRM-30



Description:

MODEL: YRM-30

ABRASIVE-TYPE

1. LESS BROKEN RICE & UNIFORM WHITENING

YRM-15, 30 which assembled abrasive roller and steel wire roller in the center of milling chamber. Both of them rub with rotary inner frame each other. But abrasive roller and steel wire roller rotary with high speed, inner frame and rubber plates rotary with low speed. Rubber plates locked on the inner frame in order to stop the brown rice flow and to get a uniform whitening and luster. If the rubber plates worn out, you can adjust it from 1mm to 6mm.

2. UNIQUE JET AIR SYSTEM

Jet air is blown from the fan to the milling chamber, functioning not only to prevent the temperature of the rice grains from rising but also to remove bran sticking to the whitened rice.

3. EASY OPERATION


This machine is a masterpiece. It is very different from other countries made. Operation is very easy, requiring no previous training.

4. SUPERIOR ABRASIVE ROLLER

Unlike conventional methods of production, the abrasive rollers are manufactured with strict forming and heat treatment, giving them extra-high durability and sharpness. Dull edge conventional rollers means excess pressure on the rice grains during whitening potential of the abrasive-type process



MODEL	REQUIRED POWER	INPUT CAPACITY	N.W.	G.W.	OVERALL DIMENSION L x W x H
YRM-30	40-50HP	2000-2500KGS / HR	1040KGS	1226KGS	2280 x 1035 x 1137 mm



Bran Suction Blower & Motor



Bran Cyclone

SPECIAL SPARE PARTS'
NAME & NUMBER

22. Emery Roller



24. Emery Roller

48. Screen



52. Rubber Plate



A division of Ken-Ding Group

Weizhou International Co., Ltd

P. O. Box 1394 Kaohsiung City, Taiwan ROC

Tel : 886-7-7169249 Fax : 886-7-7169250

e-Mail : general@weitronic.com.tw e-Mail : shiu@ksts.seed.net.tw