


Vertical Rice Whitening Machine (Abrasive-Type)



AMV-60 (Abrasive-Type)

The brand-new vertical rice whitening machine system is now a reality under CSF' research and development program. By means of one vertical abrasive rice whitening machine in combination with two vertical friction rice whitening machines, the new 3-in-1 combination unit is a highly efficient, less costly, energy-saving, rice-whitening mechanism, replacing the accustomed devices of conventional horizontal and outdated vertical rice polishers. The new vertical rice whitening machine adopts the undated rice whitening method which employs the primary grain weight to maintain the proper pressure within the milling chamber taking merely one third in strength previously required for outlet weights. Consequently, each and every rice grain may receive an even and intact bran-removing process for high productivity, less broken rice, high quality of rice, space saving and low-cost installation.



Features

- **Even and Intact Rice-Whitening Process.**

Thanks to new science, a breakthrough from conventional process is made possible. In addition, the maximal visual and tasty effect will be produced by the even, whole rice whitened.

- **Easy to Operate.**

Since new techniques are employed, the unit can be operated easily without any special training to obtain the whiteness and brightness of rice to be whitened. Besides, each

Broken rice resultant from elevator operations are reduced indirectly at the same time. The machine set is therefore the least in cost and time-consumption, but with maximum productivity and effect.

- **Highly Precision, Solidly Built and Easy to Maintain and replace the parts.**
New design and structure promise faster change of consumable parts and better time-saving.

Specifications

Model	Required Power (hp)	Input Capacity (ton / hr)	Meas. (cft.)
AMV-60	60	4 ~ 6	128

Specifications are subject to change without notice.



A division of Ken-Ding Group

Weizhou International Co., Ltd

P. O. Box 1394 Kaohsiung City, Taiwan ROC

Tel : 886-7-7169249 Fax : 886-7-7169250

e-Mail : general@weitronic.com.tw

e-Mail : shiu@ksts.seed.net.tw