



農業曳引機

WE-BOZOK 275 4X2 (1104-A44 PERKINS UK)機型



SPECIFICATION		DESCRIPTION	
PERFORMANCE			
Rated Engine Power		ISO/TR14396 75 hp (54 kW)	
Max. Torgue@1400 rpm Max. PTO Power @ rated		275 Nm	
engine speed		62.9 hp	
ENGINE			
Type		Perkins / 1104A-44	
No. Cylinders		4	
Injection		Direct	
Capacity		4.4 litre	
Air Cleaner		Dual, Dry Air Cleaner with overbonnet centrifugal pre - cleaner / Oil bath air cleaner	
Exhaust		Vertical	
ELECTRICS			
Alternator / Starter		50A/ 3.0kW	
Lights		Headlights, Sidelights, brake lights, direction indicators,rear work lamp	
Other		Horn, 7- pin trailer socket	
CLUTCH			
Type		Dual Clutch	

Diameter	305 X 254 mm
TRANSMISSION	8 Forward 2 Reverse Sliding Spur,
POWER TAKE OFF	
Type	Dual Clutch, pedal operated
PTO speed	540 rev/ min @ 1685 engine rev / min or ground speedPTO
Shaft Diameter	35 mm (1.38 mm)
Number of Splines	6
HYDRAULICS	
Functions	Draft, Position, and response control
Max. Oil Flow	16.7 litre / min
Max.Pressure	207 bar
Max. Lift Capacity at links ends, link horizontal	2290kg
Lower Links	Cat 2 fixed ball ends linkage check chains and stabilisers
Drawbar	Swinging drawbar
STEERING	
Type	Hydrostatic
REARAXLE AND BRAKES	
Brake Type	Oil-Cooled, disc
Actuation	Mechanical, independent or locked together
Parking Brake	Hand lever operated
Differential Lock	Mechanical actuation
OPERATOR AREA	
Seat	Spring Suspension
Fender	Flat Top
Tool Box	With optional toolkit
INSTRUMENTATION	
Gauges	Tachometer, fuel gauge, temperature gauge
Warnings Lights	Electric charge, low engine oil pressure, direction indicators, main beam, filter,
STANDARDWHEELS AND TYRES	
Fronts - 2WD 4WD	7.50 – 16 12.4x24

Rear - 2WD 4WD	16,9 – 30 16,9 – 30
WEIGHTS AND DIMENSIONS	
With standard wheels and tyres, with fuel, oil and water Weight	2WD/4WD 2780 kg/3010kg
Overall Length	2WD/4WD 3.60 m/3.89 m
Width - minimum Height	1.99 m Overall
over exhaust	2.52 m
over steering wheel	1.70 m
Wheelbase – 2WD/4WD m/2.29 m	2.06
Turning Circle - less brakes	2WD/4WD 7.20 m /9.75 m
Ground Clearance, under over drawbar	381 mm
CAPACITIES	
Fuel Tank	70 litre



A Division of Ken-Ding Group

瑋洲企業有限公司

地址: 台灣高雄市前鎮區武德街 135 巷 24 號

信件請寄: 高雄市郵政信箱 1394 號

Tel : 07-7169249 Fax : 07-2134620

Weizhou International Co., Ltd

Address : No. 24, Lane 135 Wu-de St., Kaohsiung City, Taiwan ROC 80647

Mailing : P. O. Box 1394 kaohsiung City. Taiwan ROC

Tel : 886-7-7169249 Fax : 886-7-2134620

E-MAIL : agri-machine@weizhou.com.tw

<http://www.weizhou.com.tw/Agrimachine/Tractor/index-import.htm>

 QQ : 1467808036

 SKYPE : service450429

 LINE : weizhou1995

 Wechat : walterhsu1995

 Viber : +886972326392

 WhatsApp : +886972326392